



3415A 3 Ave NW, Calgary, Alberta, T2N 0M4, Canada



Patient Name: Patient, Name
Specimen ID (SID): 24-123-123456
DOB: 01-Jan-2000
PHN: AB 0000000
Reason for Testing: AA amyloidosis
Relevant Medications: -

External SID: 123456789
Doctor: Dr. Doctor
Report Date: 11-Mar-2025

Specimen Type: Plasma
Date/Time Collected: 01-Jan-2024 / 00:00
Specimen Source: Referral Lab

Serum Amyloid A & ADAMTS13 Panel

Laboratory Developed Test (LDT)

| Analyte | Results (ng/ml) | Reference Interval† |
|-----------|-------------------|---------------------|
| ADAMTS-13 | 509 | 240 - 818 |
| SAA | 16944 HIGH | 482 - 11524 |

Sample Comments:

-

Results Interpretation:

-

Disclaimer:

The interpretation of these test results should be correlated with clinical findings and other diagnostic tests. Biomarker levels can vary due to many biological, physiological, and diurnal factors; their clinical significance must be assessed by a qualified healthcare professional. This information is not intended to be used as the sole basis for diagnosis or treatment decisions.

Reviewed by: DP

Eve Technologies Corporation is a CLIA certified High Complexity International Laboratory

† Reference intervals estimated by data-mining ≥1000 PLASMA-EDTA samples drawn from both healthy and pathological subjects.