



3415A 3 Ave NW, Calgary, Alberta, T2N 0M4, Canada

**Patient Name:** PATIENT, NAME**Specimen ID (SID):** 26001-0000-01**DOB:** 01-Jan-2000**PHN:** AB 00000000**Reason for Testing:** Familial Mediterranean fever**Relevant Medications:** -**External SID:** 123456789**Doctor:** Dr. Doctor**Report Date:** 22-Apr-2026**Specimen Type:** Plasma**Date/Time Collected:** 01-Jan-2026 / 00:00**Serum Amyloid A & ADAMTS13 Panel****Laboratory Developed Test (LDT)**

Analyte	Results (ng/ml)	Reference Interval†
ADAMTS13	307	240 - 818
SAA	> 31250 <b>HIGH</b>	482 - 11524

**Sample Comments:**

-

**Results Interpretation:**

-

**Disclaimer:**

The interpretation of these test results should be correlated with clinical findings and other diagnostic tests. Biomarker levels can vary due to many biological, physiological, and diurnal factors; their clinical significance must be assessed by a qualified healthcare professional. This information is not intended to be used as the sole basis for diagnosis or treatment decisions.

**Reviewed by: DP**

**Eve Technologies Corporation is a CLIA certified High Complexity International Laboratory**

† Reference intervals estimated by data-mining  $\geq 1000$  PLASMA-EDTA samples drawn from both healthy and pathological subjects.